

BRAVA ROOF TILE

FLORIDA PRODUCT APPROVALS



Based on the limitations referenced below and verified by QAI Laboratories Ltd, these products meet all applicable requirements of the 8th Edition (2023) Florida Building Code, including the High Velocity Hurricane Zone (HVHZ) provisions.

<u>PRODUCT DESCRIPTION</u>	<u>FLORIDA PRODUCT APPROVAL</u>	<u>EVALUATION REPORT</u>
BRAVA CEDAR SHAKE Class A and Class C Fire Rating - Brava Cedar Shake polymeric roof coverings simulating natural wood, available in Class A and Brava One (Class C or A with FR Underlayment) formulations.	<u>FL# 41880.1</u> Approved for use in HVHZ Florida Building Code Version: 2023 - Limits of Use: Approved for use in HVHZ: Yes Approved for use outside HVHZ: Yes Impact Resistant: Yes Design Pressure: +N/A/-104	<u>CERus-1014</u> Code Evaluation Report - QAI Laboratories has validated testing and code compliance when installed according to published installation instructions .
BRAVA SLATE and BRAVA MULTI-WIDTH SLATE Class A and Class C Fire Rating - Brava Slate polymeric roof coverings simulating natural slate, available in Class A and Brava One (Class C or A with FR Underlayment) formulation options.	<u>FL# 41880.2</u> Approved for use in HVHZ Florida Building Code Version: 2023 - Limits of Use: Approved for use in HVHZ: Yes Approved for use outside HVHZ: Yes Impact Resistant: Yes Design Pressure: +N/A/-104	<u>CERus-1014</u> Code Evaluation Report - QAI Laboratories has validated testing and code compliance when installed according to published installation instructions .
BRAVA SPANISH BARREL TILE Class A and Class C Fire Rating - Brava Spanish Barrel Tile polymeric roof coverings simulating clay barrel tile, available in Class A (Class A with VersaShield FR Underlayment) and Brava One (Class C) formulations.	<u>FL# 41880.3</u> Approved for use in HVHZ Florida Building Code Version: 2023 - Limits of Use: Approved for use in HVHZ: Yes Approved for use outside HVHZ: Yes Impact Resistant: Yes Design Pressure: +N/A/-91	<u>CERus-1014</u> Code Evaluation Report - QAI Laboratories has validated testing and code compliance when installed according to published installation instructions .
BRAVA FLAT TILE Class A and Class C Fire Rating - Brava Flat Tile polymeric roof coverings simulate concrete roof tiles, available in Class A and Brava One (Class C) formulation options.	<u>FL# 41880.4</u> Approved for use in HVHZ Florida Building Code Version: 2023 - Limits of Use: Approved for use in HVHZ: Yes Approved for use outside HVHZ: Yes Impact Resistant: Yes Design Pressure: +N/A/-109	<u>CERus-1014</u> Code Evaluation Report - QAI Laboratories has validated testing and code compliance when installed according to published installation instructions .